



TiCN粉末擠壓絲攻－長牙

TiCN Coated ASP Forming Taps-Long Thread

FTL-82435



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD					
M1 x 0.25	3	P	1	31	4	3	1056					
M1 x 0.25	3	B										
M1 x 0.25	4	P										
M1 x 0.25	4	B										
M1 x 0.25	5	P										
M1 x 0.25	5	B										
M1.2 x 0.25	3	P	1	31	4.5	3	996					
M1.2 x 0.25	3	B										
M1.2 x 0.25	4	P										
M1.2 x 0.25	4	B										
M1.2 x 0.25	5	P										
M1.2 x 0.25	5	B										
M1.4 x 0.3	3	P	1	34	5.5	3	876					
M1.4 x 0.3	3	B										
M1.4 x 0.3	4	P										
M1.4 x 0.3	4	B										
M1.4 x 0.3	5	P										
M1.4 x 0.3	5	B										
M1.6 x 0.35	3	P	1	36	7	3	1056					
M1.6 x 0.35	3	B										
M1.6 x 0.35	4	P										
M1.6 x 0.35	4	B										
M1.6 x 0.35	5	P										
M1.6 x 0.35	5	B										
M1.7 x 0.35	3	P	1	36	8	3	780					
M1.7 x 0.35	3	B										
M1.7 x 0.35	4	P										
M1.7 x 0.35	4	B										
M2 x 0.4	3	P						1	40	11	3	648
M2 x 0.4	3	B										
M2 x 0.4	4	P										
M2 x 0.4	4	B										
M2 x 0.4	5	P										
M2 x 0.4	5	B										
M2 x 0.4	6	P	1	40	11	3	732					
M2 x 0.4	6	B										
M2 x 0.4	7	B										
M2.3 x 0.4	4	P						1	42	11	3	732
M2.3 x 0.4	4	B										
M2.3 x 0.4	5	P										
M2.3 x 0.4	5	B										

公制牙



Metric Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M2.5 x 0.45	4	P	1	44	15	3	624
M2.5 x 0.45	4	B					
M2.5 x 0.45	5	P					
M2.5 x 0.45	5	B					
M2.5 x 0.45	6	P					
M2.5 x 0.45	6	B					
M2.5 x 0.45	7	B	1	44	15	3	612
M2.6 x 0.45	4	P					
M2.6 x 0.45	4	B					
M2.6 x 0.45	5	P					
M2.6 x 0.45	5	B					
M2.6 x 0.45	6	P					
M2.6 x 0.45	6	B	2	46	18	4	528
M2.6 x 0.45	7	B					
M3 x 0.5	4	P					
M3 x 0.5	4	B					
M3 x 0.5	5	P					
M3 x 0.5	5	B					
M3 x 0.5	6	P	2	48	18	4	540
M3 x 0.5	6	B					
M3 x 0.5	7	P					
M3 x 0.5	7	B					
M3 x 0.5	8	B					
M3.5 x 0.6	6	P					
M3.5 x 0.6	6	B					
M4 x 0.7	5	P					
M4 x 0.7	5	B					
M4 x 0.7	6	P					
M4 x 0.7	6	B					
M4 x 0.7	7	P	2	60	22	5.5	588
M4 x 0.7	7	B					
M5 x 0.8	6	P					
M5 x 0.8	6	B					
M5 x 0.8	7	P					
M5 x 0.8	7	B					
M5 x 0.8	8	P	2	62	24	6	624
M5 x 0.8	8	B					
M6 x 1	6	P					
M6 x 1	6	B					
M6 x 1	7	P					
M6 x 1	7	B					
M6 x 1	8	P					

TiCN粉末擠壓絲攻 - 長牙

TiCN Coated ASP Forming Taps-Long Thread

FTL-82435



美制牙

U.S. Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
NO. 0 - 80 UNF	4	P	1	36	7	3	816
NO. 0 - 80 UNF	4	B					
NO. 0 - 80 UNF	5	P					
NO. 0 - 80 UNF	5	B					
NO. 1 - 64 UNC	4	P	1	36	8	3	816
NO. 1 - 64 UNC	4	B					
NO. 1 - 64 UNC	5	P					
NO. 1 - 64 UNC	5	B					
NO. 1 - 72 UNF	4	P	1	36	8	3	816
NO. 1 - 72 UNF	4	B					
NO. 1 - 72 UNF	5	P					
NO. 1 - 72 UNF	5	B					
NO. 2 - 56 UNC	4	P	1	42	11	3	828
NO. 2 - 56 UNC	4	B					
NO. 4 - 40 UNC	5	P	1	44	12	3	684
NO. 4 - 40 UNC	5	B					
NO. 4 - 40 UNC	6	P					
NO. 4 - 40 UNC	6	B					
NO. 6 - 32 UNC	5	P	2	48	18	4	576
NO. 6 - 32 UNC	5	B					
NO. 6 - 32 UNC	6	P					
NO. 6 - 32 UNC	6	B					
NO. 6 - 32 UNC	7	P	2	52	20	5	624
NO. 6 - 32 UNC	7	B					
NO. 8 - 32 UNC	5	P					
NO. 8 - 32 UNC	5	B					
NO. 8 - 32 UNC	6	P	2	60	22	5.5	660
NO. 8 - 32 UNC	6	B					
NO. 10 - 24 UNC	7	P	2	60	22	5.5	660
NO. 10 - 24 UNC	7	B					

美制牙

U.S. Thread


規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
NO. 10 - 32 UNF	7	P	2	60	22	5.5	660
NO. 10 - 32 UNF	7	B					
1/4 - 20 UNC	6	P	2	62	24	6	708
1/4 - 20 UNC	6	B					
1/4 - 20 UNC	7	P					
1/4 - 20 UNC	7	B					
1/4 - 28 UNF	5	P	2	62	24	6	708
1/4 - 28 UNF	5	B					
1/4 - 28 UNF	7	P					
1/4 - 28 UNF	7	B					

P: 通孔用 倒牙: 4山 B: 盲孔用 倒牙: 2山
P: For through holes Chamfer: 4 thread
B: For blind holes Chamfer: 2 thread


TiN擠壓絲攻 - 長牙

TiN Coated Forming Taps-Long Thread

FTL-82334



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M 2 × 0.4	4	P	1	40	11	3	540
M 2 × 0.4	4	B					
M 2 × 0.4	5	P					
M 2 × 0.4	5	B					
M 2 × 0.4	6	P	1	42	11	610	
M 2 × 0.4	6	B					
M 2.3 × 0.4	4	P					
M 2.3 × 0.4	4	B					
M 2.3 × 0.4	5	P	1	44	15	520	
M 2.3 × 0.4	5	B					
M 2.5 × 0.45	4	P					
M 2.5 × 0.45	4	B					
M 2.5 × 0.45	5	P	1	44	15	510	
M 2.5 × 0.45	5	B					
M 2.5 × 0.45	6	P					
M 2.5 × 0.45	6	B					
M 2.6 × 0.45	4	P	1	44	15	510	
M 2.6 × 0.45	4	B					
M 2.6 × 0.45	5	P					
M 2.6 × 0.45	5	B					
M 2.6 × 0.45	6	P	1	46	18	440	
M 2.6 × 0.45	6	B					
M 3 × 0.5	4	P					
M 3 × 0.5	4	B					
M 3 × 0.5	5	P	2	46	18	440	
M 3 × 0.5	5	B					
M 3 × 0.5	6	P					
M 3 × 0.5	6	B					
M 3 × 0.5	7	P	2	46	18	440	
M 3 × 0.5	7	B					

公制牙

Metric Thread



規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M 3.5 × 0.6	6	P	2	48	18	4	450
M 3.5 × 0.6	6	B					
M 4 × 0.7	5	P	2	52	20	5	460
M 4 × 0.7	5	B					
M 4 × 0.7	6	P					
M 4 × 0.7	6	B					
M 4 × 0.7	7	P	2	60	22	5.5	490
M 4 × 0.7	7	B					
M 5 × 0.8	6	P					
M 5 × 0.8	6	B					
M 5 × 0.8	7	P	2	62	24	6	520
M 5 × 0.8	7	B					
M 5 × 0.8	8	P					
M 5 × 0.8	8	B					
M 6 × 1	6	P	2	62	24	6	520
M 6 × 1	6	B					
M 6 × 1	7	P					
M 6 × 1	7	B					
M 6 × 1	8	P	2	62	24	6	520
M 6 × 1	8	B					

P: 通孔用 倒牙: 4山 B: 盲孔用 倒牙: 2山
 P: For through holes Chamfer: 4 thread
 B: For blind holes Chamfer: 2 thread

TiN擠壓絲攻 - 長牙

TiN Coated Forming Taps-Long Thread

FTL-82334



美制牙

U.S. Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
NO. 4 - 40 UNC	5	P	1	44	12	3	570
NO. 4 - 40 UNC	5	B					
NO. 4 - 40 UNC	6	P					
NO. 4 - 40 UNC	6	B					
NO. 6 - 32 UNC	5	P	2	48	18	4	480
NO. 6 - 32 UNC	5	B					
NO. 6 - 32 UNC	6	P					
NO. 6 - 32 UNC	6	B					
NO. 6 - 32 UNC	7	P	2	52	20	5	520
NO. 6 - 32 UNC	7	B					
NO. 8 - 32 UNC	5	P					
NO. 8 - 32 UNC	5	B					
NO. 8 - 32 UNC	6	P	2	60	22	5.5	550
NO. 8 - 32 UNC	6	B					
NO. 10 - 24 UNC	7	P					
NO. 10 - 24 UNC	7	B					
NO. 10 - 32 UNF	7	P	2	60	22	5.5	550
NO. 10 - 32 UNF	7	B					

美制牙

U.S. Thread




規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
1/4 - 20 UNC	6	P	2	62	24	6	590
1/4 - 20 UNC	6	B					
1/4 - 20 UNC	7	P					
1/4 - 20 UNC	7	B					
1/4 - 28 UNF	5	P	2	62	24	6	590
1/4 - 28 UNF	5	B					
1/4 - 28 UNF	7	P					
1/4 - 28 UNF	7	B					

P: 通孔用 倒牙: 4山 B: 盲孔用 倒牙: 2山
 P: For through holes Chamfer: 4 thread
 B: For blind holes Chamfer: 2 thread

TiN擠壓絲攻

TiN Coated Forming Taps

FT-82314



公制牙 Metric Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M 1.7 × 0.35	3	P	1	36	8	3	530
M 1.7 × 0.35	3	B					
M 1.7 × 0.35	4	P					
M 1.7 × 0.35	4	B					
M 2 × 0.4	3	P	1	40	8	490	
M 2 × 0.4	3	B					
M 2 × 0.4	4	P					
M 2 × 0.4	4	B					
M 2 × 0.4	5	P	1	42	8	550	
M 2 × 0.4	5	B					
M 2.3 × 0.4	5	P					
M 2.3 × 0.4	5	B					
M 2.5 × 0.45	4	P	1	44	10	470	
M 2.5 × 0.45	4	B					
M 2.5 × 0.45	6	P					
M 2.5 × 0.45	6	B					
M 2.6 × 0.45	4	P	1	44	10	460	
M 2.6 × 0.45	4	B					
M 2.6 × 0.45	6	P					
M 2.6 × 0.45	6	B					
M 3 × 0.5	4	P	2	46	10	390	
M 3 × 0.5	4	B					
M 3 × 0.5	5	P					
M 3 × 0.5	5	B					
M 3 × 0.5	6	P	2	48	10	410	
M 3 × 0.5	6	B					
M 3 × 0.5	7	P					
M 3 × 0.5	7	B					
M 4 × 0.7	5	P	2	52	10	420	
M 4 × 0.7	5	B					
M 4 × 0.7	6	P					
M 4 × 0.7	6	B					
M 4 × 0.7	6	P	2	60	11	440	
M 4 × 0.7	6	B					
M 4 × 0.7	7	P					
M 4 × 0.7	7	B					
M 5 × 0.8	5	P	2	60	11	440	
M 5 × 0.8	5	B					
M 5 × 0.8	6	P					
M 5 × 0.8	6	B					

公制牙 Metric Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M 5 × 0.8	7	P	2	60	11	5.5	440
M 5 × 0.8	7	B					
M 6 × 1	6	P	2	62	12	6	470
M 6 × 1	6	B					
M 6 × 1	7	P					
M 6 × 1	7	B					
M 6 × 1	8	P	3	70	18	6.2	740
M 6 × 1	8	B					
M 8 × 1.25	6	P					
M 8 × 1.25	6	B					
M 8 × 1.25	7	P	3	70	18	6.2	740
M 8 × 1.25	7	B					
M 8 × 1.25	8	P					
M 8 × 1.25	8	B					
M 8 × 1.0	6	P	3	70	18	6.2	740
M 8 × 1.0	6	B					
M 8 × 1.0	7	P					
M 8 × 1.0	7	B					
M 8 × 1.0	8	P	3	75	19	7	840
M 8 × 1.0	8	B					
M 10 × 1.5	6	P					
M 10 × 1.5	6	B					
M 10 × 1.5	7	P	3	75	19	7	840
M 10 × 1.5	7	B					
M 10 × 1.5	8	P					
M 10 × 1.5	8	B					
M 10 × 1.25	6	P	3	75	19	7	840
M 10 × 1.25	6	B					
M 10 × 1.25	7	P					
M 10 × 1.25	7	B					
M 10 × 1.25	8	P	3	75	19	7	840
M 10 × 1.25	8	B					




P: 通孔用 倒牙: 4111 B: 盲孔用 倒牙: 2111

TiN擠壓絲攻

TiN Coated Forming Taps



FT-82314



公制牙 Metric Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M 12 × 1.75	7	P	3	82	23	8.5	1280
M 12 × 1.75	7	B					
M 12 × 1.75	8	P					
M 12 × 1.75	8	B					
M 12 × 1.75	9	P					
M 12 × 1.75	9	B					
M 12 × 1.5	6	P	3	82	23	8.5	1280
M 12 × 1.5	6	B					
M 12 × 1.5	7	P					
M 12 × 1.5	7	B					
M 12 × 1.5	8	P					
M 12 × 1.5	8	B					
M 12 × 1.25	6	P	3	82	23	8.5	1280
M 12 × 1.25	6	B					
M 12 × 1.25	7	P					
M 12 × 1.25	7	B					
M 12 × 1.25	8	P					
M 12 × 1.25	8	B					

公制牙 Metric Thread




規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
M 14 × 2	10	P	3	88	25	10.5	1480
M 14 × 2	10	B					
M 14 × 1.5	9	P	3	88	25	10.5	1480
M 14 × 1.5	9	B					
M 16 × 2	10	P	3	95	27	12.5	2270
M 16 × 2	10	B					
M 16 × 1.5	9	P	3	95	27	12.5	2384
M 16 × 1.5	9	B					

P: 通孔用 倒牙: 4山 B: 盲孔用 倒牙: 2山
 P: For through holes Chamfer: 4 thread
 B: For blind holes Chamfer: 2 thread

TiN擠壓絲攻

TiN Coated Forming Taps

FT-82314



美制牙

U.S. Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
NO. 2 - 56 UNC	4	P	1	42	8	3	620
NO. 2 - 56 UNC	4	B					
NO. 4 - 40 UNC	4	P	1	44	9	3	520
NO. 4 - 40 UNC	4	B					
NO. 6 - 32 UNC	5	P	2	48	10	4	430
NO. 6 - 32 UNC	5	B					
NO. 6 - 32 UNC	6	P	2	52	10	5	470
NO. 6 - 32 UNC	6	B					
NO. 8 - 32 UNC	5	P	2	52	10	5	470
NO. 8 - 32 UNC	5	B					
NO. 8 - 32 UNC	6	P	2	60	11	5.5	490
NO. 8 - 32 UNC	6	B					
NO. 10 - 24 UNC	5	P	2	60	11	5.5	490
NO. 10 - 24 UNC	5	B					
NO. 10 - 24 UNC	6	P	2	60	11	5.5	490
NO. 10 - 24 UNC	6	B					
NO. 10 - 24 UNC	7	P	2	60	11	5.5	570
NO. 10 - 24 UNC	7	B					
NO. 10 - 32 UNF	5	P	2	60	11	5.5	490
NO. 10 - 32 UNF	5	B					
NO. 10 - 32 UNF	6	P	2	60	11	5.5	490
NO. 10 - 32 UNF	6	B					
NO. 10 - 32 UNF	7	P	2	60	11	5.5	570
NO. 10 - 32 UNF	7	B					
NO. 12 - 24 UNC	5	P	2	60	11	5.5	570
NO. 12 - 24 UNC	5	B					
NO. 12 - 24 UNC	6	P	2	60	11	5.5	570
NO. 12 - 24 UNC	6	B					
NO. 12 - 24 UNC	7	P	2	60	11	5.5	570
NO. 12 - 24 UNC	7	B					

美制牙

U.S. Thread




規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
1/4 - 20 UNC	6	P	2	62	14	6	530
1/4 - 20 UNC	6	B					
1/4 - 20 UNC	7	P	2	62	14	6	530
1/4 - 20 UNC	7	B					
1/4 - 20 UNC	8	P	2	62	14	6	530
1/4 - 20 UNC	8	B					
1/4 - 28 UNF	5	P	2	62	14	6	530
1/4 - 28 UNF	5	B					
1/4 - 28 UNF	6	P	2	62	14	6	530
1/4 - 28 UNF	6	B					
1/4 - 28 UNF	7	P	2	62	14	6	530
1/4 - 28 UNF	7	B					
5/16 - 18 UNC	7	P	3	70	18	6.1	800
5/16 - 18 UNC	7	B					
5/16 - 18 UNC	8	P	3	70	18	6.1	800
5/16 - 18 UNC	8	B					
5/16 - 18 UNC	9	P	3	70	18	6.1	800
5/16 - 18 UNC	9	B					
5/16 - 24 UNF	7	P	3	70	18	6.1	800
5/16 - 24 UNF	7	B					
5/16 - 24 UNF	8	P	3	70	18	6.1	800
5/16 - 24 UNF	8	B					
5/16 - 24 UNF	9	P	3	70	18	6.1	800
5/16 - 24 UNF	9	B					

P: 通孔用 倒牙: 4山 B: 盲孔用 倒牙: 2山
 P: For through holes Chamfer: 4 thread
 B: For blind holes Chamfer: 2 thread

TiN擠壓絲攻

TiN Coated Forming Taps

FT-82314



美制牙

U.S. Thread

規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
3/8 - 16 UNC	7	P	3	75	21	7	800
3/8 - 16 UNC	7	B					
3/8 - 16 UNC	8	P					
3/8 - 16 UNC	8	B					
3/8 - 16 UNC	9	P					
3/8 - 16 UNC	9	B					
3/8 - 24 UNF	7	P	3	75	21	7	800
3/8 - 24 UNF	7	B					
3/8 - 24 UNF	8	P					
3/8 - 24 UNF	8	B					
3/8 - 24 UNF	9	P					
3/8 - 24 UNF	9	B					
1/2 - 20 UNF	8	P	3	85	25	9	1280
1/2 - 20 UNF	8	B					
1/2 - 20 UNF	9	P					
1/2 - 20 UNF	9	B					

美制牙

U.S. Thread


規格 Size	精度 SR	倒牙 LC	形狀 Type	全長 L1	牙長 L2	柄徑 ds	單價 NTD
1/2 - 13 UNC	8	P	3	85	25	9	1280
1/2 - 13 UNC	8	B					
1/2 - 13 UNC	9	P					
1/2 - 13 UNC	9	B					

P: 通孔用 倒牙: 4山 B: 盲孔用 倒牙: 2山
 P: For through holes Chamfer: 4 thread
 B: For blind holes Chamfer: 2 thread


TiN螺帽絲攻 (一般黑鐵用)

TiN Nut Taps

NT-83354



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD						
M3 x 0.5	4	1	58	26	13	2.3	510						
M3 x 0.5	5												
M3 x 0.5	6												
M3 x 0.5	7												
M3 x 0.5	8												
M4 x 0.7	5	1	58	26	18.2	3.0	476						
M4 x 0.7	6												
M4 x 0.7	7												
M4 x 0.7	8												
M4 x 0.7	9												
M5 x 0.8	5	1	62	26	20.8	3.8	464						
M5 x 0.8	6												
M5 x 0.8	7												
M5 x 0.8	8												
M5 x 0.8	9												
M6 x 1.0	5	1	67	26	26	4.5	454						
M6 x 1.0	6												
M6 x 1.0	7												
M6 x 1.0	8												
M6 x 1.0	9												
M7 x 1.0	6	1	70	26	26	5.6	510						
M7 x 1.0	7												
M7 x 1.0	8												
M8 x 1.25	6							2	77	26	32.5	6.05	510
M8 x 1.25	7												
M8 x 1.25	8												
M8 x 1.25	9												
M8 x 1.25	10												
M8 x 1.0	6	2	77	26	26	6.4	510						
M8 x 1.0	7												
M8 x 1.0	8												
M8 x 1.0	9												
M8 x 1.0	10												
M10 x 1.5	6	2	89	26	39	8.0	620						
M10 x 1.5	7												
M10 x 1.5	8												
M10 x 1.5	9												
M10 x 1.5	10												

公制牙

Metric Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD						
M10 x 1.25	6	2	89	26	32.5	8.1	620						
M10 x 1.25	7												
M10 x 1.25	8												
M10 x 1.25	9												
M10 x 1.25	10												
M10 x 1.0	7	2	89	26	26	8.4	620						
M10 x 1.0	8												
M10 x 1.0	9												
M12 x 1.75	7							2	102	26	45.5	9.5	858
M12 x 1.75	8												
M12 x 1.75	9												
M12 x 1.75	10												
M12 x 1.5	7	2	102	26	39	9.8	858						
M12 x 1.5	8												
M12 x 1.5	9												
M12 x 1.5	10												
M12 x 1.25	6							2	102	26	32.5	10.0	858
M12 x 1.25	7												
M12 x 1.25	8												
M12 x 1.25	9												
M12 x 1.25	10												
M14 x 2.0	7	2	114	26	52	11.2	1120						
M14 x 2.0	8												
M14 x 2.0	9												
M14 x 2.0	10												
M14 x 2.0	11												
M14 x 1.5	7	2	114	26	39	11.2	1120						
M14 x 1.5	8												
M14 x 1.5	9												
M14 x 1.5	10												
M14 x 1.5	11												
M16 x 2.0	7	2	127	26	52	13.1	1286						
M16 x 2.0	8												
M16 x 2.0	9												
M16 x 2.0	10												
M16 x 2.0	11												


註：加大之精度，請另詢。

Note: Please contact us if you need taps with other accuracy.


TiN螺帽絲攻 (一般黑鐵用)

TiN Nut Taps

NT-83354



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
M16 x 1.5	8	2	127	26	39	13.1	1286
M16 x 1.5	9						
M16 x 1.5	10	2	133	26	65	14.5	1620
M18 x 2.5	8						
M18 x 2.5	9	2	133	26	52	15	1620
M18 x 2.5	10						
M18 x 2.5	11	2	133	26	39	15	1620
M18 x 2.0	9						
M18 x 2.0	10	2	133	26	52	15	1620
M18 x 2.0	11						
M18 x 2.0	12	2	133	26	39	15	1620
M18 x 1.5	8						
M18 x 1.5	9	2	133	26	39	15	1620
M18 x 1.5	10						
M18 x 1.5	11	2	133	26	65	16.5	1842
M18 x 1.5	12						
M20 x 2.5	8	2	133	26	52	16.5	1842
M20 x 2.5	9						
M20 x 2.5	10	2	133	26	52	16.5	1842
M20 x 2.5	11						
M20 x 2.5	12	2	133	26	39	16.5	1842
M20 x 2.0	9						
M20 x 2.0	10	2	133	26	52	16.5	1842
M20 x 2.0	11						
M20 x 1.5	8	2	133	26	39	16.5	1842
M20 x 1.5	9						
M20 x 1.5	10	2	133	26	65	17.5	2320
M20 x 1.5	11						
M20 x 1.5	12	2	146	26	52	19	2320
M22 x 2.5	8						
M22 x 2.5	9	2	146	26	52	19	2320
M22 x 2.5	10						
M22 x 2.5	11	2	146	26	65	17.5	2320
M22 x 2.5	12						
M22 x 2.0	9	2	146	26	52	19	2320
M22 x 2.0	10						
M22 x 2.0	11	2	146	26	65	17.5	2320
M22 x 2.0	12						

公制牙


Metric Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
M24 x 3.0	8	2	165	26	78	18.5	2820
M24 x 3.0	9						
M24 x 3.0	10	2	165	26	52	20	2820
M24 x 3.0	11						
M24 x 3.0	12	2	165	26	39	21.5	2820
M24 x 2.0	8						
M24 x 2.0	9	2	165	26	52	20	2820
M24 x 2.0	10						
M24 x 2.0	11	2	165	26	39	21.5	2820
M24 x 2.0	12						
M24 x 1.5	8	2	165	26	39	21.5	2820
M24 x 1.5	9						
M24 x 1.5	10	2	165	26	65	17.5	2320
M24 x 1.5	11						
M24 x 1.5	12	2	146	26	52	19	2320
M24 x 1.5	12						


TiN螺帽絲攻 (一般黑鐵用)

TiN Nut Taps

NT-83354



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
NO. 4 - 40 UNC	4						
NO. 4 - 40 UNC	5						
NO. 4 - 40 UNC	6	1	58	26	16.5	2	548
NO. 4 - 40 UNC	7						
NO. 4 - 40 UNC	8						
NO. 5 - 40 UNC	5						
NO. 5 - 40 UNC	6	1	58	26	16.5	2.2	510
NO. 5 - 40 UNC	7						
NO. 5 - 44 UNF	5						
NO. 5 - 44 UNF	6	1	58	26	15	2.2	510
NO. 5 - 44 UNF	7						
NO. 6 - 32 UNC	4						
NO. 6 - 32 UNC	5						
NO. 6 - 32 UNC	6	1	60	26	20.6	2.4	476
NO. 6 - 32 UNC	7						
NO. 6 - 32 UNC	8						
NO. 6 - 40 UNF	5						
NO. 6 - 40 UNF	6	1	60	26	16.5	2.6	476
NO. 6 - 40 UNF	7						
NO. 8 - 32 UNC	4						
NO. 8 - 32 UNC	5						
NO. 8 - 32 UNC	6	1	60	26	20.6	3.2	476
NO. 8 - 32 UNC	7						
NO. 8 - 32 UNC	8						
NO. 8 - 36 UNF	4						
NO. 8 - 36 UNF	5						
NO. 8 - 36 UNF	6	1	60	26	18.3	3.2	476
NO. 8 - 36 UNF	7						
NO. 8 - 36 UNF	8						

美制牙


U.S. Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
NO. 10 - 24 UNC	4						
NO. 10 - 24 UNC	5						
NO. 10 - 24 UNC	6	1	69	26	27.5	3.4	454
NO. 10 - 24 UNC	7						
NO. 10 - 24 UNC	8						
NO. 10 - 32 UNF	4						
NO. 10 - 32 UNF	5						
NO. 10 - 32 UNF	6	1	69	26	20.6	3.7	454
NO. 10 - 32 UNF	7						
NO. 10 - 32 UNF	8						
NO. 12 - 24 UNC	4						
NO. 12 - 24 UNC	5						
NO. 12 - 24 UNC	6	1	69	26	27.5	4	464
NO. 12 - 24 UNC	7						
NO. 12 - 24 UNC	8						
NO. 12 - 28 UNF	4						
NO. 12 - 28 UNF	5						
NO. 12 - 28 UNF	6	1	69	26	23.6	4.2	464
NO. 12 - 28 UNF	7						
NO. 12 - 28 UNF	8						
1/4 - 20 UNC	5						
1/4 - 20 UNC	6						
1/4 - 20 UNC	7	1	72	26	33	4.6	454
1/4 - 20 UNC	8						
1/4 - 20 UNC	9						
1/4 - 28 UNF	4						
1/4 - 28 UNF	5						
1/4 - 28 UNF	6	1	72	26	23.6	5	454
1/4 - 28 UNF	7						
1/4 - 28 UNF	8						


TiN螺帽絲攻(一般黑鐵用)

TiN Nut Taps

NT-83354



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
5 / 16 - 18 UNC	5						
5 / 16 - 18 UNC	6						
5 / 16 - 18 UNC	7	2	77	26	36.7	6	510
5 / 16 - 18 UNC	8						
5 / 16 - 18 UNC	9						
5 / 16 - 24 UNF	5						
5 / 16 - 24 UNF	6						
5 / 16 - 24 UNF	7	2	77	26	27.5	6.3	510
5 / 16 - 24 UNF	8						
5 / 16 - 24 UNF	9						
3 / 8 - 16 UNC	6						
3 / 8 - 16 UNC	7						
3 / 8 - 16 UNC	8	2	89	26	41.3	7.3	596
3 / 8 - 16 UNC	9						
3 / 8 - 16 UNC	10						
3 / 8 - 24 UNF	5						
3 / 8 - 24 UNF	6						
3 / 8 - 24 UNF	7	2	89	26	27.5	8	596
3 / 8 - 24 UNF	8						
3 / 8 - 24 UNF	9						
7 / 16 - 14 UNC	6						
7 / 16 - 14 UNC	7						
7 / 16 - 14 UNC	8	2	102	26	47.2	8.6	760
7 / 16 - 14 UNC	9						
7 / 16 - 14 UNC	10						
7 / 16 - 20 UNF	6						
7 / 16 - 20 UNF	7						
7 / 16 - 20 UNF	8	2	102	26	33	9.3	760
7 / 16 - 20 UNF	9						
7 / 16 - 20 UNF	10						
1 / 2 - 13 UNC	7						
1 / 2 - 13 UNC	8						
1 / 2 - 13 UNC	9	2	102	26	50.8	10	890
1 / 2 - 13 UNC	10						
1 / 2 - 13 UNC	11						

美制牙


U.S. Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
1 / 2 - 20 UNF	6						
1 / 2 - 20 UNF	7						
1 / 2 - 20 UNF	8	2	102	26	33	10.9	890
1 / 2 - 20 UNF	9						
1 / 2 - 20 UNF	10						
9 / 16 - 18 UNF	8						
9 / 16 - 18 UNF	9	2	114	26	36.7	11.4	1120
9 / 16 - 18 UNF	10						
5 / 8 - 11 UNC	9						
5 / 8 - 11 UNC	10	2	127	26	60	12.8	1270
5 / 8 - 11 UNC	11						
5 / 8 - 18 UNF	8						
5 / 8 - 18 UNF	9	2	127	26	36.7	13.1	1270
5 / 8 - 18 UNF	10						
3 / 4 - 10 UNC	9						
3 / 4 - 10 UNC	10	2	133	26	66	15	1726
3 / 4 - 10 UNC	11						
3 / 4 - 16 UNF	8						
3 / 4 - 16 UNF	9	2	133	26	41.3	15	1726
3 / 4 - 16 UNF	10						
7 / 8 - 9 UNC	9						
7 / 8 - 9 UNC	10	2	146	26	73.4	17	2330
7 / 8 - 9 UNC	11						
7 / 8 - 14 UNF	8						
7 / 8 - 14 UNF	9	2	146	26	47.2	18	2330
7 / 8 - 14 UNF	10						
1 - 12 UNF	9						
1 - 12 UNF	10	2	165	26	55	21	2910
1 - 12 UNF	11						


TiN螺帽絲攻 (一般黑鐵用)

TiN Nut Taps

NT-83354



TYPE 1



TYPE 2

英制牙

Imperial Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
W 3/16 - 24	5						
W 3/16 - 24	6						
W 3/16 - 24	7	1	69	26	27.5	3.2	476
W 3/16 - 24	8						
W 3/16 - 24	9						
W 1/4 - 20	5						
W 1/4 - 20	6						
W 1/4 - 20	7	1	72	26	33	4.6	454
W 1/4 - 20	8						
W 1/4 - 20	9						
W 5/16 - 18	5						
W 5/16 - 18	6						
W 5/16 - 18	7	2	77	26	36.7	6	510
W 5/16 - 18	8						
W 5/16 - 18	9						
W 3/8 - 16	6						
W 3/8 - 16	7						
W 3/8 - 16	8	2	89	26	41.3	7.3	596
W 3/8 - 16	9						
W 3/8 - 16	10						
W 7/16 - 14	6						
W 7/16 - 14	7						
W 7/16 - 14	8	2	102	26	47.2	8.6	760
W 7/16 - 14	9						
W 7/16 - 14	10						
W 1/2 - 12	7						
W 1/2 - 12	8						
W 1/2 - 12	9	2	102	26	55	9.5	890
W 1/2 - 12	10						
W 1/2 - 12	11						
W 9/16 - 12	8						
W 9/16 - 12	9	2	114	26	55	10.5	1120
W 9/16 - 12	10						

英制牙


Imperial Thread

規格 Size	精度 GH	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
W 5/8 - 11	9						
W 5/8 - 11	10	2	127	26	60	12	1270
W 5/8 - 11	11						
W 3/4 - 10	9						
W 3/4 - 10	10	2	133	26	66	15	1726
W 3/4 - 10	11						
W 7/8 - 9	9						
W 7/8 - 9	10	2	146	26	73.4	17	2330
W 7/8 - 9	11						
W 1 - 8	9						
W 1 - 8	10	2	165	26	82.6	20	2910
W 1 - 8	11						


TCON螺帽絲攻(白鐵用)

TCON Nut Taps

NTS-83574



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
M3 x 0.5	5	1	58.7	30	15	2.3	510
M3 x 0.5	6						
M3 x 0.5	7						
M4 x 0.7	6	1	58.2	30	21	3.0	476
M4 x 0.7	7						
M4 x 0.7	8						
M5 x 0.8	6	1	62.8	30	24	3.8	464
M5 x 0.8	7						
M5 x 0.8	8						
M6 x 1.0	7	1	67.5	30	30	4.5	454
M6 x 1.0	8						
M6 x 1.0	9						
M7 x 1.0	7	1	70	30	30	5.6	510
M7 x 1.0	8						
M7 x 1.0	9						
M8 x 1.25	8	2	85	30	37.5	6.05	510
M8 x 1.25	9						
M8 x 1.25	10						
M8 x 1.0	7	2	77	30	30	6.4	510
M8 x 1.0	8						
M8 x 1.0	9						
M10 x 1.5	8	2	95	30	45	7.8	620
M10 x 1.5	9						
M10 x 1.5	10						
M10 x 1.25	7	2	89	30	37.5	8.1	620
M10 x 1.25	8						
M10 x 1.25	9						
M10 x 1.0	7	2	89	30	30	8.4	620
M10 x 1.0	8						
M10 x 1.0	9						
M12 x 1.75	8	2	102	30	52.5	9.5	858
M12 x 1.75	9						
M12 x 1.75	10						
M12 x 1.5	7	2	102	30	45	9.8	858
M12 x 1.5	8						
M12 x 1.5	9						
M12 x 1.25	7	2	102	30	37.5	10.1	858
M12 x 1.25	8						
M12 x 1.25	9						
M12 x 1.0	7	2	102	30	30	10.5	858
M12 x 1.0	8						
M12 x 1.0	9						

公制牙


Metric Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
M14 x 2.0	8	2	114	30	60	11.2	1120
M14 x 2.0	9						
M14 x 2.0	10						
M14 x 1.5	8	2	114	30	45	11.2	1120
M14 x 1.5	9						
M14 x 1.5	10						
M16 x 2.0	8	2	127	30	60	13.1	1286
M16 x 2.0	9						
M16 x 2.0	10						
M16 x 1.5	8	2	127	30	45	13.1	1286
M16 x 1.5	9						
M16 x 1.5	10						
M18 x 2.5	10	2	133	30	75	14.0	1620
M18 x 2.5	11						
M18 x 2.5	12						
M18 x 2.0	10	2	133	30	60	15	1620
M18 x 2.0	11						
M18 x 2.0	12						
M20 x 2.5	10	2	133	30	75	15.5	1842
M20 x 2.5	11						
M20 x 2.5	12						
M20 x 2.0	10	2	133	30	60	16.5	1842
M20 x 2.0	11						
M20 x 2.0	12						
M20 x 1.5	9	2	133	30	45	16.5	1842
M20 x 1.5	10						
M20 x 1.5	11						
M22 x 2.5	10	2	146	30	75	16.5	2320
M22 x 2.5	11						
M22 x 2.5	12						
M22 x 2.0	10	2	146	30	60	19	2320
M22 x 2.0	11						
M22 x 2.0	12						
M24 x 3.0	10	2	165	30	90	18.5	2820
M24 x 3.0	11						
M24 x 3.0	12						
M24 x 2.0	10	2	165	30	60	20	2820
M24 x 2.0	11						
M24 x 2.0	12						
M24 x 1.5	9	2	165	30	45	21.5	2820
M24 x 1.5	10						
M24 x 1.5	11						


TCON螺帽絲攻 (白鐵用)

TCON Nut Taps

NTS-83574



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
NO. 4 - 40 UNC	5						
NO. 4 - 40 UNC	6	1	58.8	30	19.1	2	548
NO. 4 - 40 UNC	7						
NO. 4 - 48 UNF	5						
NO. 4 - 48 UNF	6	1	58.8	30	15.9	2	548
NO. 4 - 48 UNF	7						
NO. 5 - 40 UNC	5						
NO. 5 - 40 UNC	6	1	58.6	30	19.1	2.2	510
NO. 5 - 40 UNC	7						
NO. 5 - 44 UNF	5						
NO. 5 - 44 UNF	6	1	58.6	30	17.3	2.2	510
NO. 5 - 44 UNF	7						
NO. 6 - 32 UNC	6						
NO. 6 - 32 UNC	7	1	60.5	30	23.8	2.4	476
NO. 6 - 40 UNF	5						
NO. 6 - 40 UNF	6	1	60.5	30	19.1	2.6	476
NO. 6 - 40 UNF	7						
NO. 8 - 32 UNC	6						
NO. 8 - 32 UNC	7	1	60.2	30	23.8	3.1	476
NO. 8 - 36 UNF	6						
NO. 8 - 36 UNF	7	1	60.2	30	21.2	3.1	476
NO. 10 - 24 UNC	6						
NO. 10 - 24 UNC	7	1	69	30	31.7	3.4	454
NO. 10 - 32 UNF	6						
NO. 10 - 32 UNF	7	1	69	30	23.8	3.7	454
NO. 12 - 24 UNC	6						
NO. 12 - 24 UNC	7	1	69.5	30	31.7	4.0	464
NO. 12 - 28 UNF	6						
NO. 12 - 28 UNF	7	1	69.5	30	27.2	4.2	464

美制牙


U.S. Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
1 / 4 - 20 UNC	6						
1 / 4 - 20 UNC	7	1	72.4	30	38.1	4.5	454
1 / 4 - 20 UNC	8						
1 / 4 - 28 UNF	6						
1 / 4 - 28 UNF	7	1	71.9	30	27.2	5	454
5 / 16 - 18 UNC	7						
5 / 16 - 18 UNC	8	2	80	30	42.3	6	510
5 / 16 - 18 UNC	9						
5 / 16 - 24 UNF	7						
5 / 16 - 24 UNF	8	2	80	30	31.7	6.3	510
3 / 8 - 16 UNC	7						
3 / 8 - 16 UNC	8	2	89	30	47.6	7.3	596
3 / 8 - 16 UNC	9						
3 / 8 - 24 UNF	7						
3 / 8 - 24 UNF	8	2	89	30	31.7	8	596
7 / 16 - 14 UNC	7						
7 / 16 - 14 UNC	8	2	102	30	54.4	8.6	760
7 / 16 - 14 UNC	9						
7 / 16 - 20 UNF	7						
7 / 16 - 20 UNF	8	2	102	30	38.1	9.3	760
1 / 2 - 13 UNC	9						
1 / 2 - 13 UNC	10	2	102	30	58.6	10	890
1 / 2 - 13 UNC	11						
1 / 2 - 20 UNF	8						
1 / 2 - 20 UNF	9	2	102	30	38.1	10.9	890
9 / 16 - 12 UNC	9						
9 / 16 - 12 UNC	10	2	114	30	63.5	11	1120
9 / 16 - 12 UNC	11						

TCON螺帽絲攻(白鐵用)

TCON Nut Taps

NTS-83574



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
9 / 16 - 18 UNF	9						
9 / 16 - 18 UNF	10	2	114	30	42.3	11.4	1120
9 / 16 - 18 UNF	11						
5 / 8 - 11 UNC	10						
5 / 8 - 11 UNC	11	2	127	30	69.3	12.8	1270
5 / 8 - 11 UNC	12						
5 / 8 - 18 UNF	9						
5 / 8 - 18 UNF	10	2	127	30	42.3	13.1	1270
5 / 8 - 18 UNF	11						
3 / 4 - 10 UNC	10						
3 / 4 - 10 UNC	11	2	133	30	76.2	15	1726
3 / 4 - 10 UNC	12						
3 / 4 - 16 UNF	9						
3 / 4 - 16 UNF	10	2	133	30	47.6	15	1726
3 / 4 - 16 UNF	11						
7 / 8 - 9 UNC	10						
7 / 8 - 9 UNC	11	2	146	30	84.7	17	2330
7 / 8 - 9 UNC	12						

美制牙


U.S. Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
7 / 8 - 14 UNF	9						
7 / 8 - 14 UNF	10	2	146	30	54.4	18.5	2330
7 / 8 - 14 UNF	11						
1 - 8 UNC	11						
1 - 8 UNC	12	2	165	30	95.3	20	2910
1 - 8 UNC	13						
1 - 12 UNF	10						
1 - 12 UNF	11	2	165	30	63.5	21	2910
1 - 12 UNF	12						


TCON螺帽絲攻 (白鐵用)

TCON Nut Taps

NTS-83574



TYPE 1



TYPE 2

英制牙

Imperial Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
W 3 / 16 - 24	6	1	69	30	31.7	3.2	476
W 3 / 16 - 24	7						
W 3 / 16 - 24	8						
W 1 / 4 - 20	6	1	72.4	30	38.1	4.5	454
W 1 / 4 - 20	7						
W 1 / 4 - 20	8						
W 5 / 16 - 18	6	2	80	30	42.3	6	510
W 5 / 16 - 18	8						
W 5 / 16 - 18	9						
W 3 / 8 - 16	6	2	89	30	47.6	7.3	596
W 3 / 8 - 16	8						
W 3 / 8 - 16	9						
W 7 / 16 - 14	6	2	102	30	54.4	8.6	760
W 7 / 16 - 14	8						
W 7 / 16 - 14	9						
W 1 / 2 - 12	6	2	102	30	63.5	9.5	890
W 1 / 2 - 12	10						
W 1 / 2 - 12	11						
W 9 / 16 - 12	6	2	114	30	63.5	10.5	1120
W 9 / 16 - 12	10						
W 9 / 16 - 12	11						

英制牙


Imperial Thread

規格 Size	精度 A	形狀 Type	全長 L1	牙數 T	牙長 L2	柄徑 ds	單價 NTD
W 5 / 8 - 11	7	2	127	30	69.3	12	1270
W 5 / 8 - 11	11						
W 5 / 8 - 11	12						
W 3 / 4 - 10	7	2	133	30	76.2	15	1726
W 3 / 4 - 10	11						
W 3 / 4 - 10	12						
W 7 / 8 - 9	7	2	146	30	84.7	17	2330
W 7 / 8 - 9	11						
W 7 / 8 - 9	12						
W 1 - 8	9	2	165	30	95.3	20	545
W 1 - 8	12						
W 1 - 8	13						


TiN先端絲攻

TiN Spiral Point Taps

POT-81311



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
M3 x 0.5	3	1	46	11	4	3	420
M3 x 0.5	4						
* M3.5 x 0.6	3		48	13	4	3	420
M4 x 0.7	3						
M4 x 0.7	4		52	13	5	3	420
M4 x 0.7	5						
M5 x 0.8	3		60	16	5.5	3	420
M5 x 0.8	4						
M5 x 0.8	5		62	19	6	3	480
M6 x 1.0	3						
M6 x 1.0	4		65	19	6.2	3	540
* M7 x 1.0	3						
M8 x 1.25	3		70	22	6.2	3	610
M8 x 1.25	4						
M8 x 1.25	5						
M8 x 1.25	6						
M8 x 1.0	3						
M10 x 1.5	3	2					
M10 x 1.5	4						
M10 x 1.5	5						
* M10 x 1.25	3						
* M10 x 1.25	4						
M10 x 1.0	3						
M12 x 1.75	4		82	29	8.5	3	1060
M12 x 1.75	5						
M12 x 1.5	3		88	30	10.5	3	1430
M12 x 1.5	5						
M12 x 1.25	4						
M14 x 2.0	4						
M14 x 2.0	5						
M14 x 1.5	3						
M14 x 1.5	5						

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
M16 x 2.0	4	2	95	32	12.5	3	1900
M16 x 2.0	5						
M16 x 1.5	3						
M16 x 1.5	5						
M18 x 2.5	4		100	37	14	4	2560
* M18 x 2.0	4						
* M18 x 1.5	4						
M20 x 2.5	4						
* M20 x 2.0	4		105	37	15	4	3290
* M20 x 1.5	4						
* M22 x 2.5	4						
* M22 x 2.0	4						
M24 x 3.0	4	115	38	17	4		
* M24 x 2.0	4						
* M24 x 1.5	4						
		120	45	19	4	5790	

*：無庫存時，依最低受注量訂製。

*：極細牙需另外報價。


*：In case of no stock of desired items, production should be based on minimum quantity as specified.

*：Oprice offer for extra fine threads is available.


TiN先端絲攻

TiN Spiral Point Taps

POT-81311



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD	
NO. 6 - 32 UNC	2	1	48	13	4	3	450	
* NO. 6 - 40 UNF	2							
* NO. 8 - 32 UNC	2		52	13	5	3	440	
NO. 8 - 36 UNF	2							
NO. 10 - 24 UNC	2		60	16	5.5	3	440	
* NO. 10 - 32 UNF	2							
* NO. 12 - 24 UNC	2		60	16	5.5	3	490	
* NO. 12 - 28 UNF	2							
1/4 - 20 UNC	3		2	62	19	6	3	480
* 1/4 - 28 UNF	2							
5/16 - 18 UNC	3	70		22	6.1	3	610	
5/16 - 18 UNC	5							
5/16 - 24 UNF	3	75		24	7	3	810	
3/8 - 16 UNC	3							
* 3/8 - 24 UNF	3	80		25	8	3	1185	
* 7/16 - 14 UNC	3							
* 7/16 - 20 UNF	3							

美制牙

U.S. Thread


規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
* 1/2 - 13 UNC	3	2	85	29	9	3	1260
* 1/2 - 20 UNF	3						
* 5/8 - 11 UNC	3		95	32	12	3	1980
* 5/8 - 18 UNF	3						
* 3/4 - 10 UNC	3		105	37	14	4	3080
* 3/4 - 16 UNF	3						
* 7/8 - 9 UNC	4		115	38	17	4	4420
* 7/8 - 14 UNF	3						
* 1 - 8 UNC	4		125	45	20	4	6400

- * : 無庫存時，依最低受注量訂製。
- * : 極細牙需另外報價。
- * : In case of no stock of desired items, production should be based on minimum quantity as specified.
- * : Oprice offer for extra fine threads is available.


TiN螺旋絲攻

TiN Spiral Flute Taps

SFT-80311



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
M 3 x 0.5	2	1	46	11	4	3	440
M 4 x 0.7	2		52	13	5	3	430
M 5 x 0.8	2		60	16	5.5	3	490
M 6 x 1.0	2		62	19	6	3	500
M 8 x 1.25	3		70	22	6.2	3	630
※ M 10 x 1.5	3	2	75	24	7	3	790
M 10 x 1.25	3						
M 12 x 1.75	3						
M 14 x 2.0	3						
※ M 14 x 1.5	3						
			82	29	8.5	3	1090
			88	30	10.5	3	1430
							1480

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD					
M 16 x 2.0	3	2	95	32	12.5	3	1960					
M 16 x 1.5	3											
※ M 18 x 2.5	3											
M 20 x 2.5	3											
※ M 20 x 1.5	3											
※ M 24 x 3.0	4											
※ M 24 x 1.5	3											
								100	37	14	4	2640
								105	37	15	4	3400
								120	45	19	4	5920

※：無庫存時，依最低受注量訂製。

※：極細牙需另外報價。



※：In case of no stock of desired items, production should be based on minimum quantity as specified.

※：Oprice offer for extra fine threads is available.

TiN螺旋絲攻

TiN Spiral Flute Taps

SFT-80311



美制牙

U.S. Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
NO. 6 - 32 UNC	2	1	48	13	4	3	460
NO. 8 - 32 UNC	2		52	13	5	3	460
NO. 10 - 24 UNC	2		60	16	5.5	3	460
NO. 10 - 32 UNF	2		60	16	5.5	3	510
NO. 12 - 24 UNC	2		60	16	5.5	3	510
1/4 - 20 UNC	2		62	19	6	3	490
1/4 - 28 UNF	2		62	19	6	3	490
5/16 - 18 UNC	3		70	22	6.1	3	630
5/16 - 24 UNF	2	2	70	22	6.1	3	630
3/8 - 16 UNC	3		75	24	7	3	820
※ 3/8 - 24 UNF	2		75	24	7	3	820
1/2 - 13 UNC	3		85	29	9	3	1420
※ 1/2 - 20 UNF	3		85	29	9	3	1420

美制牙

U.S. Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
※ 5/8 - 11 UNC	3	2	95	32	12	3	1920
※ 3/4 - 10 UNC	3		105	37	14	4	3190
※ 7/8 - 9 UNC	4		115	38	17	4	4620
※ 1 - 8 UNC	4		125	45	20	4	6700

※：無庫存時，依最低受注量訂製。

※：極細牙需另外報價。

※：In case of no stock of desired items, production should be based on minimum quantity as specified.


※：Opriice offer for extra fine threads is available.

染黑先端絲攻 Spiral Point Taps

POT-81211



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
M 3 x 0.5	3	1	46	11	4	3	340
M 3 x 0.5	4						
* M 3.5 x 0.6	3		48	13	4	3	360
M 4 x 0.7	3						
M 4 x 0.7	4		52	13	5	3	340
* M 4 x 0.7	5						
M 5 x 0.8	3		60	16	5.5	3	330
M 5 x 0.8	4						
M 5 x 0.8	5		62	19	6	3	390
M 6 x 1.0	3						
M 6 x 1.0	4		65	19	6.2	3	450
* M 7 x 1.0	3						
M 8 x 1.25	3		70	22	6.2	3	520
M 8 x 1.25	4						
M 8 x 1.25	5	75	24	7	3	660	
* M 8 x 1.25	6						
M 8 x 1.0	3	82	29	8.5	3	920	
M 10 x 1.5	3						
M 10 x 1.5	4	88	30	10.5	3	1270	
M 10 x 1.5	5						
M 10 x 1.25	3	82	29	8.5	3	980	
* M 10 x 1.25	4						
M 10 x 1.0	3	82	29	8.5	3	920	
M 12 x 1.75	4						
M 12 x 1.75	5	82	29	8.5	3	920	
M 12 x 1.5	3						
M 12 x 1.5	5	82	29	8.5	3	920	
M 12 x 1.25	4						
M 14 x 2.0	4	88	30	10.5	3	1270	
M 14 x 2.0	5						
M 14 x 1.5	3	88	30	10.5	3	1270	
M 14 x 1.5	5						

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
M 16 x 2.0	4	2	95	32	12.5	3	1700
M 16 x 2.0	5						
M 16 x 1.5	3						
M 16 x 1.5	5						
M 18 x 2.5	4		100	37	14	4	2330
* M 18 x 2.0	4						
* M 18 x 1.5	4		105	37	15	4	3020
M 20 x 2.5	4						
* M 20 x 2.0	4		115	38	17	4	3890
* M 20 x 1.5	4						
* M 22 x 2.5	4		120	45	19	4	5410
* M 22 x 2.0	4						
M 24 x 3.0	4		120	45	19	4	5410
* M 24 x 2.0	4						
* M 24 x 1.5	4	120	45	19	4	5410	

*：無庫存時，依最低受注量訂製。

*：極細牙需另外報價。

*：In case of no stock of desired items, production should be based on minimum quantity as specified.


*：Oprice offer for extra fine threads is available.

染黑先端絲攻 Spiral Point Taps

POT-81211



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD					
NO. 6 - 32 UNC	2	1	48	13	4	3	370					
※ NO. 6 - 40 UNF	2						420					
NO. 8 - 32 UNC	2						360					
※ NO. 8 - 36 UNF	2						410					
NO. 10 - 24 UNC	2						60	16	5.5	3	360	
※ NO. 10 - 32 UNF	2						400					
※ NO. 12 - 24 UNC	2						400					
※ NO. 12 - 28 UNF	2						60	16	5.5	3	400	
1/4 - 20 UNC	3						2	62	19	6	3	390
1/4 - 20 UNC	5											
※ 1/4 - 28 UNF	2											
5/16 - 18 UNC	3											
5/16 - 18 UNC	5											
5/16 - 24 UNF	3											
3/8 - 16 UNC	3											
3/8 - 16 UNC	5											
※ 3/8 - 24 UNF	3											
※ 7/16 - 14 UNC	3	75	24	7	3	700						
※ 7/16 - 20 UNF	3	80	25	8	3	1030						

美制牙

U.S. Thread


規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD									
※ 1/2 - 13 UNC	3	2	85	29	9	3	1120									
※ 1/2 - 20 UNF	3						1240									
※ 9/16 - 12 UNC	3						90	30	10.5	3	1700					
※ 9/16 - 18 UNF	3						95	32	12	3	1800					
※ 5/8 - 11 UNC	3															
※ 5/8 - 18 UNF	3															
※ 3/4 - 10 UNC	3											105	37	14	4	2820
※ 3/4 - 16 UNF	3															

- ※：無庫存時，依最低受注量訂製。
- ※：極細牙需另外報價。
- ※：In case of no stock of desired items, production should be based on minimum quantity as specified.
- ※：Oprice offer for extra fine threads is available.


染黑螺旋絲攻

Spiral Flute Taps

SFT-80211



TYPE 1



TYPE 2

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD				
M 3 x 0.5	2	1	46	11	4	3	360				
※ M 3.5 x 0.6	2		48	13	4	3	380				
M 4 x 0.7	2		52	13	5	3	350				
M 5 x 0.8	2		60	16	5.5	3	400				
M 6 x 1.0	2		62	19	6	3	410				
M 8 x 1.25	2		2	70	22	6.2	3	540			
※ M 8 x 1.0	2	710									
M 10 x 1.5	2	75		24	7	3	680				
※ M 10 x 1.25	2						920				
※ M 10 x 1.0	2						950				
M 12 x 1.75	2						82	29	8.5	3	950
※ M 12 x 1.5	2										990
※ M 12 x 1.25	2										1270
M 14 x 2.0	2										88
※ M 14 x 1.5	2						1320				

公制牙

Metric Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD												
M 16 x 2.0	2	2	95	32	12.5	3	1760												
※ M 16 x 1.5	2						2410												
※ M 18 x 2.5	3		100	37	14	4	2410												
※ M 18 x 1.5	2						3130												
M 20 x 2.5	3						105	37	15	4	3130								
※ M 20 x 1.5	2										4430								
※ M 22 x 2.5	3										115	38	17	4	4430				
M 24 x 3.0	3														120	45	19	4	5540
※ M 24 x 1.5	2																		5540

※：無庫存時，依最低受注量訂製。


※：極細牙需另外報價。

※：In case of no stock of desired items, production should be based on minimum quantity as specified.


※：Oprice offer for extra fine threads is available.

染黑螺旋絲攻 Spiral Flute Taps

SFT-80211



TYPE 1



TYPE 2

美制牙

U.S. Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD
※ NO. 5 - 40 UNC	1	1	46	11	4	3	440
※ NO. 5 - 44 UNF	1						
※ NO. 6 - 32 UNC	2						
※ NO. 6 - 40 UNF	1						
NO. 8 - 32 UNC	2						
※ NO. 8 - 36 UNF	2						
※ NO. 10 - 24 UNC	2						
※ NO. 10 - 32 UNF	2						
※ NO. 12 - 24 UNC	2						
※ NO. 12 - 28 UNF	2						
1/4 - 20 UNC	2						
※ 1/4 - 28 UNF	2						
5/16 - 18 UNC	2	2	70	22	6.1	3	540
※ 5/16 - 24 UNF	2						
※ 3/8 - 16 UNC	2						
※ 3/8 - 24 UNF	2						
※ 7/16 - 14 UNC	2						
※ 7/16 - 14 UNC	3						
※ 7/16 - 20 UNF	2						
※ 1/2 - 13 UNC	2						
※ 1/2 - 13 UNC	3						
※ 1/2 - 20 UNF	2						

美制牙

U.S. Thread

規格 Size	精度 SP	形狀 Type	全長 L1	牙長 L2	柄徑 ds	溝數 Flutes	單價 NTD					
※ 9/16 - 12 UNC	2	2	90	30	10.5	3	1800					
※ 9/16 - 12 UNC	3											
※ 9/16 - 18 UNF	2											
※ 5/8 - 11 UNC	3											
※ 5/8 - 18 UNF	2											
※ 3/4 - 10 UNC	3											
※ 3/4 - 16 UNF	2											
※ 7/8 - 9 UNC	3											
※ 7/8 - 14 UNF	3											
※ 1 - 8 UNC	3											
								95	32	12	3	1830
								105	37	14	4	2930
		115	38	17	4	4300						
		125	45	20	4	6310						

- ※：無庫存時，依最低受注量訂製。
- ※：極細牙需另外報價。
- ※：In case of no stock of desired items, production should be based on minimum quantity as specified.
- ※：Oprice offer for extra fine threads is available.